

Commercial Dry Vacuum Cleaners



Ergonomic design for flawless and efficient cleaning



VP300 series

Reliable everyday vacuum cleaner in an ergonomic and light-weight design



VP930 series

A famous and wellknown workhorse efficient and durable for large area cleaning



VP600 series

Efficient and environmentally friendly cleaning with innovative and flexible features



Exceptional cleaning performance for medium and low cut piles



GU 700A

Heavy-duty upright vacuum cleaner for maximum productivity



GD 5 Back

User-friendly backpack vacuum cleaner



GD 5 Battery

Backpack vacuum that requires no electrical connections

Commercial Wet & Dry Vacuum Cleaners







VL100 series

Basic and simple wet & dry vacuum cleaner



VL500 series

The future of wet & dry pick-up for multi-applications

	Rated power (w)	Suction power (w)	Airflow (I/sec)	Sound pressure level dB(A)	Tank capacity (L)	Dust bag capacity (L)	Main filter area (cm²)	Weight (kg)
VP100	880	192	30	62.5	_	10	_	5.2
VP300 ECO HEPA	400	110	25	58	_	10	2400	5.3
VP300 HEPA	800	215	32	62/58	_	10	2400	5.5
VP300 BASIC HEPA	800	215	32	62	_	10	2400	5.5
VP930	760/400	240/120	33/26	57/53	_	15	2400	7.9
VP600	730/330	200/75	30/24	62/58	_	8	2400	10
VU500	810	130	27	62	_	3.5	2400	8.0/8.5
GU 700A	2250	_	-	68	35	35	_	51
GD 5 Back	780	225	33	64	_	5	2400	4.5
GD 5 Battery	650	45/116	21.7/26.7	60/65	_	5	1397	8
VL100 35/55/75	1000/2000	210/380	31/52	74/78	35/55/75	18.2/28.1/44.4	1746/3085	10/20/20.5
VL500 35	1350	250	48	62	35	18	1051	11.5
VL500 55	1350/2500	200	48/72	64/66	55	28	1840	23.5-27.5
VL500 75	1250/2400	200	48/72	64/66	75	44	1840	26-28.5

Light I-Vacs



AERO 21

Compact wet & dry vacuum cleaners with filter cleaning and simple features



AERO 26

Compact wet and dry vacuum cleaners with filter cleaning and ergonomic design



ATTIX 30

Silent and mobile wet & dry industrial vacuum cleaners with superior suction power



Superior and powerful dust extractor



Wet & dry vacuum cleaners with superior suction power for highfrequency cleaning



Very quiet, large capacity wet & dry vacuum cleaners



Twin-motor industrial wet & dry vacuum cleaners for the toughest applications



GM 80P

Rigid construction for small but powerful vacuum cleaning jobs



IVB 965 SD XC

For heavy-duty industrial cleaning and hazardous dust collection



Approved for healthy and explosion proof cleaning



Powerful twomotor machine that is approved for zone 22







	Airflow rate (I/min.)	Vacuum (mbar/ kPa)	Power Pmax (W)	Power Piec (W)	Working sound level (dB(A))	Container volume (I-max)	Mains connection (V/~/Hz/A)	Length x width x height (mm)	Weight (kg)	El cable (m)
AERO 21	3600	210/23.5	1200	1000	61	20	230V/50-60/16	375x390x530	8.5	5
AERO 26	3700	245	1500	1200	61	25	230/1/50-60/13	375x390x530	10	7.5
ATTIX 30	3700	250/25	1500	1200	59	30	230/1/50-60/13	450x380x595	10	10
ATTIX 33	4500	250/25	1400	1200	60	30	230/1/50-60/13	565x385x520	14.5	7.5
ATTIX 50	3700	250/25	1500	1200	59	47	230/1/50-60/13	450x380x750	11	10
ATTIX 7	3600	230/23	1500	1200	57	70	110/1/50-60/16	605x580x970	25	7.5
ATTIX 9	3800	250/25	1500	1200	59	70	230/1/50-60/16	605x580x970	25	7.5

	Dust class	Rated power (w)	Airflow (I/sec.)	Vacuum working max. (kPa)	Sound level dB(A) IEC 704	Main filter area (cm²)	Container capacity (Ltr.)
GM 80P	L	1200	38	27	66	2100	12
IVB 965 SD XC	H.M	2x1200	120	23	67	7800	50
IVB 7 ATTEX TYPE 22	M	1200	56	25	53.5	3000	70
IVB 995 ATTEX TYPE 22	H/M	2x1100			53	1000	50

Industrial Vacuum Cleaners





VHB 436 Battery

Battery powered industrial vacuum. Fast charging lithium-ion battery



Most compact and powerfull single-phase wet & dry vacuum



Single-phase wet & dry vacuum with 3 by-pass motors



VHS110 ATEX

Single-phase wet & dry ATEX certified vacuum



High Reach Kits

For all you high and out of reach cleaning needs Telescopic range to 8.5m Reach kits at 6m, 9m and 12m



CTS 40

Three-phase vacuum suitable for the recovery of dry materials



Three-phase vacuum tailored for metal production



Three-phase vacuum ideal for continuous and heavy-duty use



3997

Powerful three-phase vacuum to collect large quanties of heavy material

Combo series



The Combo series of industrial vacuums simplify the process of choosing the right combination for your application. We have a range of models within the series and associated segments. Consider and choose.

Models:

VHS120 CC GV VH0200 S3B L100 CC GV VHS110 Z22 EXA AU T30S L100 CC T40W I 100 FM GV CC CTS22 LC L100 ACD PBS

Applications:

Metal - Food & Beverage - Manufacturing Building & Construction - Oil & Metal

ACD series



Atex industrial vacuum solution and safety systems are designed to manage explosive dusts in a non-classified Atex zones.

Models:

CTS22 ACD - CTS40 ACD -CTS22CB LC L100 ACD PBS CTS22 ACD - CTS40 ACD -CTS40 LC L100 ACD VHS120 ACD - VHS120CB LC ACD PBS

S3 ACD - SC L100 LC ACD TW40PLUS L100 ACD 3907/18 LC ACD 5PP 3707/10 ACD

	Rated power (w)	Airflow (I/sec.)	Vacuum working max. (kPa)	Sound level dB(A) IEC 704	Main filter area (cm²)	Container capacity (Ltr.)
L/M	2400	106	13	71	19500	50
L/M	2000	45	21	74	16000	37
M	3000	135	21.1	71	19500	50-100
ATEX	1100	60	22	76	10000	37
L/M/H	4000	116	23	65	19500	50
L/M/H	7500	148	35	74	35000	100
L/M/H	5500	135	35.3	78	35000	175
L/M/H	20000	310	44 - 440	79	66000	175
	L/M M ATEX L/M/H L/M/H	L/M 2400 L/M 2000 M 3000 ATEX 1100 L/M/H 4000 L/M/H 7500 L/M/H 5500	L/M 2400 106 L/M 2000 45 M 3000 135 ATEX 1100 60 L/M/H 4000 116 L/M/H 7500 148 L/M/H 5500 135	L/M 2400 106 13 L/M 2000 45 21 M 3000 135 21.1 ATEX 1100 60 22 L/M/H 4000 116 23 L/M/H 7500 148 35 L/M/H 5500 135 35.3	L/M 2400 106 13 71 L/M 2000 45 21 74 M 3000 135 21.1 71 ATEX 1100 60 22 76 L/M/H 4000 116 23 65 L/M/H 7500 148 35 74 L/M/H 5500 135 35.3 78	L/M 2400 106 13 71 19500 L/M 2000 45 21 74 16000 M 3000 135 21.1 71 19500 ATEX 1100 60 22 76 10000 L/M/H 4000 116 23 65 19500 L/M/H 7500 148 35 74 35000 L/M/H 5500 135 35.3 78 35000

Walk-behind Scrubber Dryers



Upright scrubber dryer is the master of small space cleaning



Scrubbing, sweeping and drying in every corner



SC351

Allows both scrubbing and drying backwards and forwards



High and consistent cleaning performance for hours



SC430

Simple and user friendly walk-behind scrubber dryer



SC450

Simple, basic scrubber/dryer that makes cleaning an easy operation



Cost-effective, sustainable and easy to service



SC530

Simple, trustworthy and cost effective scrubber dryer



BA 551C/611

Silent, compact and easy to manoeuvre



Simple, trustworthy and cost effective scrubber dryer



Robust and thorough cleaning, for all heavyduty applications

	Rated power (w)	Scrubbing width (mm)	Brush/pad diameter (mm)	Brush pressure (kg)	Solution/ recovery tank (L)	Productivity rate (m²/h)	Length x width x height (mm)	Gross weight (kg)
SC100	800	310	1 cyl.	-	3/4	310	400x360x1150	15
SC250	300	340	1 cyl.	12	6/6	680	630x425x400	32
SC351	450	370	370	27	11/11	890	730x435x470	73
SC401B/BD/E	450	430	430	25/30	30/30	1032/1290/860	1180x720x1055	151/163/144
SC430	900	530	530/508	35	40/40	1272	1140x550x1100	175
SC450B	810	530	530	34	40/45	1272	1174x760x980	190
SC500	930	530	530/508	15/30	45/45	1590	1277x720x1063	129-207
SC530	800	530	530/508	23	61/61	1431	1260x550x1080	233/227
BA/CA 551/611	810-1650	510-610	530/2x305	21-30	55/55	1060-1460	1320x650x1090	186-258
BA 651/751	1420-1820	660-860	2x330-690	32-52	85/85	2200-2895	1570x600x1050	470
BA 751C	1820	710	690	35	85/85	2390	1470x600x1050	470
SC800	1890-1910	710	355	36/77	95/95	2470-2990	1480x780x1130	487-492

Stand-on & Ride-on Scrubber Dryers



Innovative stand-on scrubber dryer setting a new standard



Micro ride-on scrubber dryer doubles cleaning output at price of walkbehind model



BR652/752

Super low noise level, ergonomic and a compact machine



SC3500

The mid-size solution for high productivity and efficiency



SC4000

Agile, flexible and easy to use with a compact design and capable of navigating narrow spaces.



SC5000

The agile answer for dynamic cleaning challenges



SC6000

Efficient large area cleaning



SC6500

High productivity in extreme cleaning environments



SC8000

Widest cylindrical scrub deck in its class







power (w)	Scrubbing width (mm)	Brush/pad diameter (mm)	Brush pressure (kg)	Solution/ recovery tank (L)	Productivity rate (m²/h)	Length x width x height (mm)	Gross weight (kg)
840	510	510	23/40	44/46	1707	1230x610x1330	326
-	720	530/508	15/30	70/70	2230	1270x550x1020	342
1500	660/710	330/355	30/48-32/50	80/80	2770/2980	1360x670/750x1200	446/448
2658	710	355/355	30/50	110/110	4260	162x76x125	230
2100	710/810/860	2x355	42-100	125/125	6920	159x92x146	324
2400	860	2x430	38-104	140/147	7310	159x146x105	816
2500/2700	863-1016	180/430/508	up to 135	190/190	9450	187x108x148	816
4100-5220	1000/1300	2x505/3x432	38-145	265/265	11700	187x141x148	807
Diesel/LPG	1220/1520	280x1220	55/110/180	380/380	19760	254x142x147	1350
	(w) 840 - 1500 2658 2100 2400 2500/2700 4100-5220	(w) 840 510 - 720 1500 660/710 2658 710 2100 710/810/860 2400 860 2500/2700 863-1016 4100-5220 1000/1300	power (w) (mm) diameter (mm) 840 510 510 - 720 530/508 1500 660/710 330/355 2658 710 355/355 2100 710/810/860 2x355 2400 860 2x430 2500/2700 863-1016 180/430/508 4100-5220 1000/1300 2x505/3x432	power (w) (mm) diameter (mm) pressure (kg) 840 510 510 23/40 - 720 530/508 15/30 1500 660/710 330/355 30/48-32/50 2658 710 355/355 30/50 2100 710/810/860 2x355 42-100 2400 860 2x430 38-104 2500/2700 863-1016 180/430/508 up to 135 4100-5220 1000/1300 2x505/3x432 38-145	power (w) (mm) diameter (mm) pressure (kg) recovery tank (L) 840 510 510 23/40 44/46 - 720 530/508 15/30 70/70 1500 660/710 330/355 30/48-32/50 80/80 2658 710 355/355 30/50 110/110 2100 710/810/860 2x355 42-100 125/125 2400 860 2x430 38-104 140/147 2500/2700 863-1016 180/430/508 up to 135 190/190 4100-5220 1000/1300 2x505/3x432 38-145 265/265	power (w) (mm) diameter (mm) pressure (kg) recovery tank (L) rate (m²/h) 840 510 510 23/40 44/46 1707 - 720 530/508 15/30 70/70 2230 1500 660/710 330/355 30/48-32/50 80/80 2770/2980 2658 710 355/355 30/50 110/110 4260 2100 710/810/860 2x355 42-100 125/125 6920 2400 860 2x430 38-104 140/147 7310 2500/2700 863-1016 180/430/508 up to 135 190/190 9450 4100-5220 1000/1300 2x505/3x432 38-145 265/265 11700	power (w) (mm) diameter (mm) pressure (kg) recovery tank (L) rate (m²/h) x height (mm) 840 510 510 23/40 44/46 1707 1230x610x1330 - 720 530/508 15/30 70/70 2230 1270x550x1020 1500 660/710 330/355 30/48-32/50 80/80 2770/2980 1360x670/750x1200 2658 710 355/355 30/50 110/110 4260 162x76x125 2100 710/810/860 2x355 42-100 125/125 6920 159x92x146 2400 860 2x430 38-104 140/147 7310 159x146x105 2500/2700 863-1016 180/430/508 up to 135 190/190 9450 187x108x148 4100-5220 1000/1300 2x505/3x432 38-145 265/265 11700 187x141x148

Walk-behind & Ride-on Sweepers



SW 200/250

Robust, manually operated sweeper



Quiet and easy cleaning



SW 900

High cleaning performance and productivity



SR 1000S

Why walk - when you can have a compact ride-on sweeper



High cleaning performance and productivity



SW4000

One touch sweeping minimising your operational costs



SW5500

The real Industrial Hybrid powered sweeper in the industry



SR 1601

The most technically advanced sweeper in its category



SW8000

An industrial ride-on sweeper for large heavy-duty areas

Combination Machines



CS7010

First Hybrid and ePower driven combi machines



CR 1500

Heavy-duty industrial cleaning, this machine supplies the answer

	Motor power source	Productivity rate theoretical (m²/h)	Working width w/right s/brush	Working width w/2 s/brush (mm)	Hopper volume (L)	Max. dumping height (cm)	Length x width x height (mm)	Main filter area (m²)
SW200/250	Manual	1920	700	920	38	Manual	790x375x870	_
SW 750	Batt. 12V	2880	720	_	60	Manual	990x800x620	1
SW900	Batt.12V/Petrol	3715-4725	825	1050	60	Manual	1390x950x1100	1.9
SR 1000S	Batt.12V	5500	_	1000	50	_	1260x790x1160	3
SR 1101	Batt.12V/Petrol	4900-6300	980	1260	70	_	1480x930x1220	4.3
SW4000	LPG/P/B	6825-8750	975	1250	75	150	1640x1035x1330	7
SW5500	B/D/LPG	7650-8500	1175	1500	150	165	1875x1200x1565	7
SR 1601	D/LPG/P/B	10000-19200	1250	1600	315	159	2220x1320x1460	10
SW8000	D/LPG/P	23925-29000	1650	2000	400	152	2390x1630x1470	10

	Hopper Volume (L)	Solution/recovery tank (L)	Brush speed/ pressure (rpm/kg)	Shipping weight (kg)	Scrubbing width (mm)	Productivity rate actual (m²/h)	Sweeping width (mm)	Length x width x height (mm)
CS7010	198	284/284	90-127-181	2058-2593	1245	11080	1540	2620x1650x1500
CR 1500	454	380/380	200/272	1973	1370	7700	1520	2720x1500x1560

Single Discs and Burnishers



FM400 L/H

Low and high speed for standard cleaning applications



Dual speed built for standard and medium-duty use





BU500

Ultra high speed to build and maintain shiny floors



BU800

Self-regulating pad pressure and a floating pad driver



Carpet Extractor



ES300

Extend the life of your carpets, ideal for cleaning high and light traffic areas.



	Protection class IP/protection	Rated Power (w)	Sound pressure level at 1.5m	Brush/pad diameter (mm)	Brush/pad pressure (g/cm²)	Brush/pad speed (rpm)	Brush torque (nm)	Operating weight (kg)
FM400L	II/IPX4	1100	59	430	24	180	63	37
FM400H	IPX4	1500	61	430	26	410	36	40
FM400D	II/IP44	1100/1500	61	430	26	185/370	58/40	40
BU500	I/IPX0	1100	<70	510	10	1500	12	41
BU800	IPX4	1500	68	505	30	1500	9.5	254

	Rated power (w)	Brush speed (r.p.m.)	Airflow (I/sec)	Vacuum at nozzle (kPa)	Sound pressure level dB(A)	Working width (mm)	Solution/recovery tank (L)	Pump pressure (bar/psi)
ES300	1824	1950	-	-	68	410	34/26.5	-/120

HPW Cold Water



Ideal cold water cleaning for everyday tasks



Low running costs, great efficiency and easy handling



Compact, efficient, ergonomic, intuitive and user-friendly



MC 5M Innovative and versatile mid range cold water high pressure washers



MC 6P Premium performance, lifetime and ergonomics



MC 7P Ultimate industrial quality



MC 8P The ultimate in durability and robustness for tough applications requiring high water flow



MC 9P High pressure washers for extreme cleaning, perfect for maneuvering in tight spaces and uneven surfaces. Features upgraded crane lift supports



MC 10P Knock paint and rust off ships preparing surfaces for repair or blast through solid materials with the MC 10P – tackles heavyduty cleaning tasks with ease







HPW Hot Water



MH 3C Compact and high performance



MH 3M Optimal ergonomics and reliable cleaning



MH 4M Performance, life-time and ergonomics



MH 5M High cleaning performance and heating effect and robustness



MH 6P Tough and efficient – for heavy duty applications



MH 7P Heavy duty and efficient hot water cleaning for intense use











Stationary Cold Water



A portable and stationary mounted unit all in one



SC UNO 5M/6P/7P/8P

Stationary 1-pump high pressure washers for flexible cleaning



SC DUO 6P/7P/8P

Stationary 2-pump high pressure washers for heavy cleaning tasks



SC DELTA 6P/8P

Stationary high pressure washers for multiple users

Stationary Hot Water



SH TRUCK

Stationary hot water pressure washers for permanent outside placement



SH SOLAR D/E/G

Diesel powered stationary hot water pressure washers



SH AUTO 5M

Innovative technology for quicker payback time on self service washes

Steam Cleaners



SO4500

A compact, user-friendly steamer for light to medium use. Suitable for all industries.



SV8000

Ideal for chemical-free cleaning providing optimal hygiene, quick and easy to use.



The ultimate steam cleaner. Chemical ready and vacuum equipped, the lab certified SDV models are built for heavy-duty cleaning and disinfection routines.









Nilfisk Service

Service & Maintenance Agreements for all fleet sizes, all brands of cleaning solutions and offering local, regional and national coverage. Speak to our service experts for more details.

At Nilfisk, we are proud to be one of the world's leading manufacturers of professional cleaning equipment with a heritage of over 110 years in the industry. With global company headquarters in Denmark, our products are produced in Europe, the Americas and China, and used worldwide. Nilfisk has an extensive network of sales entities across 45 countries and is represented in more than 100 countries around the world

Our products cover the broad range of needs of the professional cleaning customer. Our main product lines are floor care equipment – such as professional scrubber dryers and sweepers, vacuum cleaners and high-pressure

washers. Our products are recognised for their high quality and reliability. We see sustainability as an integral part of sound business practice. We develop cleaning solutions that provide you with cleaning efficiency while using less energy, less water and less detergent. When we reduce consumption of resources, it benefits both you and the environment. As your professional business partner, we must constantly innovate our business in order to strengthen yours. This is the promise Nilfisk makes to you as your trusted partner.

Find more information on www.nilfisk.co.uk / nilfisk.ie

Get in touch to find how we can customise our service package to meet your needs

Nilfisk Ltd

Nilfisk House • Bowerbank Way • Gilwilly Industrial Estate Penrith • Cumbria • CA11 9BQ Tel: 01768 868995 (UK) • 01 2943838 (IE) Email: sales.uk@nilfisk.com (UK & IE)

